

XML Order


Connection documentation

1. Ordering via SFTP.....	2
Order Process.....	2
2. Product feed	3
Our products.....	3
Product status or condition:.....	3
Example feed.....	4
Layout (applies for the default Productfeed)	4
3. Create Sales Order	5
XSD Order Request	5
Example XML Order Request	9
XSD Order Response.....	9
Example XML Order Responses	10
4. Invoices	11
XSD Invoices.....	11
Example XML Invoices	13
SFTP:.....	16

Document Information

Content	Customer Implementation XML Order via SFTP guidelines
Document Version	4.2.5
Document Created by	Jimmy Fang
Document Updated by	Pieter vd Schee
Document Last Update	28-03-2023

1. Ordering via SFTP



Order Process

This document describes the order process for customers who want to use XML Ordering via SFTP. The XML Order process consists of three types of messages interchanging between the SFTP.

1. Productfeed
2. CreateSalesOrder
3. Invoicefeed

2. Product feed

By default, we share our product feed as a Comma Separated Value (.CSV) file format, semicolon (;) delimited and point (.) as decimal separator, but it could also be a custom setup specified by our Account manager.

File name, products_{YourCustomerNumber}: products_123456.csv

Line 1, header: Manufacturer part number, Product name, Main category, Sub category, Manufacturer name, EAN, Price, Quantity in stock, Condition, SKU, Product URL,

Image URL, CNET ID

Line 2 and on: Products

By default product feed will be available every 3 hours on the **Outbound** folder.

Our products

Product status or condition:

N1 - New Products

N2 - New Bulk

N3 - New Spares

W1 - Renew Gold

W2 - Renew Silver

AS - Approved Selection

R4 - A Grade Refurbished

G5 - B Grade Refurbished

D1 - Demo

D2 - Demo

Click [here](#) for more information.

Example feed

SKU;Condition;Manufacturer part number;EAN;Manufacturer name;Product name;Main category;Sub category;Price list 1;Quantity in stock;Product URL;Image URL;CNet ID
 2163926R4;R4;CP-7905G-REF;7898362231124;Cisco;"Cisco IP Phone 7905G - VoIP phone - H.323, SCCP, SIP - single-line";Telephones;Phones - IP;52.00;1;"http://www.xeptor.se/products/Telephones/Phones-IP/Cisco/Cisco-IP-Phone-7905G-VoIP-phone-H-323-SCCP-S?prodid=30623";"http://www.xeptor.se/imgs/51a348ea-efba-42f1-a895-f5dd883eb111/250/250";S1749716
 2252356R4;R4;7034-SB1-REF;;Lenovo;"M91p MT i5-2400/4GB/250GB/DVDRW/W7P COA #4.1";Computers;Desktops;1137.00;1;"http://www.xeptor.se/products/Computers/Desktops/Lenovo/M91p-MT-i5-2400-4GB-250GB-DVDRW-W7P-COA-4-1?prodid=63379";;
 2212980R4;R4;LJ427AV-NL-SB65-REF;;HP;"HP EliteBook 8460p - 14"" - Core i5 2520M - 4 GB RAM - 250 GB HDD";Computers;Notebooks;2267.00;7;"http://www.xeptor.se/products/Computers/Notebooks/HP/HP-EliteBook-8460p-14-Core-i5-2520M-4-GB-RA?prodid=235704";"http://www.xeptor.se/imgs/de864a2e-6ec9-4305-9a56-7aae4a6482b2/250/250";S17410872
 2235927R4;R4;QV997AV-SB34-REF;;HP;"HP Compaq Elite 8300 - ultra-slim desktop - Core i5 3470S 2.9 GHz - 4 GB - 320 GB";Computers;Desktops;1721.00;9;"http://www.xeptor.se/products/Computers/Desktops/HP/HP-Compaq-Elite-8300-ultra-slim-desktop-Core-i?prodid=394087";"http://www.xeptor.se/imgs/8f67f20e-62b9-4bd1-b65a-40c7403f3f0c/250/250";S18801654
 2121363R4;R4;491335-421-REF;0000491335421;Hewlett Packard Enterprise;"HPE ProLiant DL380 G6 High Efficiency - rack-mountable - Xeon L5520 2.26 GHz - 4 GB - 0 GB";Servers;Servers - Rack;4204.00;1;"http://www.xeptor.se/products/Servers/Servers-Rack/Hewlett-Packard-Enterprise/HPE-ProLiant-DL380-G6-High-Efficiency-rack-mount?prodid=395189";"http://www.xeptor.se/imgs/f7515713-003e-4763-849d-bca1982f8fcb/250/250";S6426964
 2265739R4;R4;42D0633-REF;5704875096377;IBM;"Lenovo - Hard drive - 146 GB - hot-swap - 2.5"" SFF Slim - SAS - 15000 rpm - FRU, (CRU) - Tier 1 - for BladeCenter HS12; HS22; System x3200 M3; x3400 M3; x35XX M3; x3690 X5; x36XX M3; x3850 X5";Hard Drives & Optical;Internal Hard Drives;261.00;4;"http://www.xeptor.se/products/Hard-Drives-Optical/Internal-Hard-Drives/IBM/Lenovo-Hard-drive-146-GB-hot-swap-2-5-SFF?prodid=396725";;S9746196
 2237179R4;R4;7010DT-I3-3240/3-REF;;Dell;"Dell OptiPlex 7010 - DT - Core i3 3240 3.4 GHz - 4 GB - 250 GB";Computers;Desktops;928.00;43;"http://www.xeptor.se/products/Computers/Desktops/Dell/Dell-OptiPlex-7010-DT-Core-i3-3240-3-4-GHz-4?prodid=397060";"http://www.xeptor.se/imgs/fc129841-a26e-49ea-a3b7-5550d24c9bd3/250/250";S18801086

Layout (applies for the default Productfeed)

Column	Description	Additional Values
SKU	Reference code for ordering	7 digits plus our status code
Condition	Our product status code/condition	N1,N2,N3,W1,W2,AS,R4,G5,D1,D2
Manufacturer part number	Reference code from manufacturer	
EAN	13-digit EAN / ISBN number	13 digits. (If less than 13, supplement with leading zeros)
Manufacturer name	Manufacturer name	
Product name	Product name	Starts and ends with quotation marks: "text....."
Main category	Main category	
Sub category	Sub category	
Price	Our selling price	
Quantity in stock	Quantity in stock	
Product URL	URL to our product page	Starts and ends with quotation marks: "http....."
Image URL	URL to our product image	Starts and ends with quotation marks: "http....."
iceCAT ID	With the Icecat ID you can connect to ICecat and retrieve full product information	

3. Create Sales Order

To create a sales order in our system. An XML file needs to be send to our SFTP. This *.xml file must be put into the **Inbound** folder where it's picked up and processed. When the order is picked up by our system a Response message is created in the **Outbound** folder. Response messages with status **ACK** means the order is accepted by our system. In case of a response status **NACK** the order has been reject by any reasons. Please contact your account manager for support in case you can't solve the issue yourselves.

Below are the XSD schemas for the technical implementation of the interface.

XSD Order Request

```
<?xml version="1.0" encoding="utf-16"?>
<schema xmlns:b="http://schemas.microsoft.com/BizTalk/2003"
xmlns:ns0="http://www.xeptor.com/BT/XmlOrders/CreateSalesOrderRequest/1.0"
targetNamespace="http://www.xeptor.com/BT/XmlOrders/CreateSalesOrderRequest/1.0" xmlns="http://www.w3.org/2001/XMLSchema">
  <element name="CreateSalesOrderRequest">
    <complexType>
      <sequence>
        <element name="General">
          <complexType>
            <sequence>
              <element name="SellToCustomer">
                <complexType>
                  <attribute name="Number" type="string" use="required" />
                </complexType>
              </element>
              <element minOccurs="0" name="OrderDate" type="date" />
              <element minOccurs="0" name="YourReference">
                <simpleType>
                  <restriction base="string">
                    <minLength value="1" />
                    <maxLength value="30" />
                  </restriction>
                </simpleType>
              </element>
              <element minOccurs="0" name="WebOrderNumber">
                <simpleType>
                  <restriction base="string">
                    <minLength value="1" />
                    <maxLength value="30" />
                  </restriction>
                </simpleType>
              </element>
              <element name="ExternalDocumentNumber">
                <simpleType>
                  <restriction base="string">
                    <minLength value="1" />
                    <maxLength value="20" />
                  </restriction>
                </simpleType>
              </element>
              <element minOccurs="0" name="CurrencyCode">
                <simpleType>
```

```
<restriction base="string">
  <enumeration value="CZK" />
  <enumeration value="DKK" />
  <enumeration value="EUR" />
  <enumeration value="GBP" />
  <enumeration value="HUF" />
  <enumeration value="NOK" />
  <enumeration value="PLN" />
  <enumeration value="SEK" />
  <enumeration value="USD" />
</restriction>
</simpleType>
</element>
</sequence>
</complexType>
</element>
<element name="Invoicing">
  <complexType>
    <sequence>
      <element name="BillToCustomer">
        <complexType>
          <attribute name="Number" type="string" />
        </complexType>
      </element>
    </sequence>
  </complexType>
</element>
<element name="Shipping">
  <complexType>
    <sequence>
      <element name="ShipToCustomer">
        <complexType>
          <sequence>
            <element name="IsBlindShip" type="boolean" />
            <element name="Name">
              <simpleType>
                <restriction base="string">
                  <minLength value="1" />
                  <maxLength value="50" />
                </restriction>
              </simpleType>
            </element>
            <element minOccurs="0" name="NameExtension">
              <simpleType>
                <restriction base="string">
                  <minLength value="1" />
                  <maxLength value="50" />
                </restriction>
              </simpleType>
            </element>
            <element minOccurs="0" name="ContactPerson">
              <simpleType>
                <restriction base="string">
                  <minLength value="1" />
                  <maxLength value="50" />
                </restriction>
              </simpleType>
            </element>
          </sequence>
        </complexType>
      </element>
    </sequence>
  </complexType>
</element>
```

```
</simpleType>
</element>
<element name="Address">
  <simpleType>
    <restriction base="string">
      <minLength value="1" />
      <maxLength value="50" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="AddressExtension">
  <simpleType>
    <restriction base="string">
      <minLength value="1" />
      <maxLength value="50" />
    </restriction>
  </simpleType>
</element>
<element name="City">
  <simpleType>
    <restriction base="string">
      <minLength value="1" />
      <maxLength value="30" />
    </restriction>
  </simpleType>
</element>
<element name="ZipCode">
  <simpleType>
    <restriction base="string">
      <minLength value="1" />
      <maxLength value="20" />
    </restriction>
  </simpleType>
</element>
<element name="CountryCode">
  <simpleType>
    <restriction base="string">
      <minLength value="2" />
      <maxLength value="2" />
    </restriction>
  </simpleType>
</element>
</sequence>
</complexType>
</element>
</sequence>
</complexType>
</element>
<element name="Lines">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" name="Line">
        <complexType>
          <sequence>
            <element minOccurs="0" name="ItemNumber">
              <simpleType>
```

```
<restriction base="string">
  <minLength value="1" />
  <maxLength value="20" />
</restriction>
</simpleType>
</element>
<element minOccurs="0" name="Description">
  <simpleType>
    <restriction base="string">
      <minLength value="1" />
      <maxLength value="50" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="Quantity" type="integer" />
</sequence>
<attribute name="LineType" type="string" use="required" />
</complexType>
</element>
</sequence>
</complexType>
</element>
<element minOccurs="0" name="Any">
  <complexType mixed="true">
    <sequence>
      <any minOccurs="0" processContents="skip" />
    </sequence>
  </complexType>
</element>
</sequence>
</complexType>
</element>
</schema>
```


Example XML Order Request

```
<ns0:CreateSalesOrderRequest xmlns:ns0="http://www.xeptor.com/BT/XmlOrders/CreateSalesOrderRequest/1.0">
  <General>
    <SellToCustomer Number="123456" /> <!-- Use provided CustomerNumber -->
    <OrderDate>2018-11-05</OrderDate>
    <YourReference>YourReference</YourReference>
    <WebOrderNumber>WebOrderNr 1</WebOrderNumber>
    <ExternalDocumentNumber>ExtNr1</ExternalDocumentNumber> <!-- Must be a unique number -->
  </General>
  <Invoicing>
    <BillToCustomer Number="123456" /> <!-- Use provided CustomerNumber -->
  </Invoicing>
  <Shipping>
    <ShipToCustomer>
      <IsBlindShip>True</IsBlindShip>
      <Name>Customer Name</Name>
      <NameExtension>additional to Name</NameExtension>
      <ContactPerson>Contact Person</ContactPerson>
      <Address>Kruisweg 1</Address>
      <AddressExtension>Next to the stairs</AddressExtension>
      <City>Leiden</City>
      <ZipCode>1234 AB</ZipCode>
      <CountryCode>NL</CountryCode>
    </ShipToCustomer>
  </Shipping>
  <Lines>
    <Line LineType="item">
      <ItemNumber>2197078N1</ItemNumber> <!-- Our SKU provided in our Productfeed -->
      <Quantity>2</Quantity>
    </Line>
  </Lines>
  <Any>Customer declares to agree with the terms and conditions of Xeptor B.V. , filed with the Dutch Chamber of Commerce under number 70449740</Any>
</ns0:CreateSalesOrderRequest>
```

XSD Order Response

```
<?xml version="1.0" encoding="utf-16"?>
<xs:schema xmlns="http://www.xeptor.com/BT/XmlOrders/CreateSalesOrderResponse/1.0"
  xmlns:b="http://schemas.microsoft.com/BizTalk/2003"
  targetNamespace="http://www.xeptor.com/BT/XmlOrders/CreateSalesOrderResponse/1.0" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="CreateSalesOrderResponse">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="CustomerNumber" type="xs:string" />
        <xs:element name="ExternalDocumentNumber" type="xs:string" />
        <xs:element minOccurs="0" name="WebOrderNumber" type="xs:string" />
        <xs:element minOccurs="0" name="CustomerReference" type="xs:string" />
        <xs:element minOccurs="0" name="InternalDocumentNumber" type="xs:string" />
        <xs:element name="ResponseInfo">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="Status" type="xs:boolean" />
              <xs:element minOccurs="0" name="Message" type="xs:string" />
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

```
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
```

Example XML Order Responses

NACK:

```
<ns0:CreateSalesOrderResponse xmlns:ns0="http://www.infotheek.com/schemas/BizTalk/XmlOrders/CreateSalesOrderResponse/1.0">
  <CompanyID>XMLORDERING</CompanyID>
  <ExternalDocumentNumber>12345678</ExternalDocumentNumber>
  <ResponseInfo>
    <Status>NACK</Status>
    <Message>Sales Order document import error. Please check the Xml request</Message>
  </ResponseInfo>
</ns0:CreateSalesOrderResponse>
```

ACK:

```
<ns0:CreateSalesOrderResponse xmlns:ns0="http://www.infotheek.com/schemas/BizTalk/XmlOrders/CreateSalesOrderResponse/1.0">
  <CompanyID>XMLORDERING</CompanyID>
  <ExternalDocumentNumber>12345678</ExternalDocumentNumber>
  <InternalDocumentNumber>VEORXXXX</InternalDocumentNumber>
  <ResponseInfo>
    <Status>ACK</Status>
    <Message>Sales Order document imported and automatically accepted.</Message>
  </ResponseInfo>
</ns0:CreateSalesOrderResponse>
```

4. Invoices

The Invoices/Credit notes XML is produced daily, but only if on previous day(s) Invoices are created in our system. These files will be available on the **Outbound** folder.

XSD Invoices

```
<?xml version="1.0" encoding="utf-16"?>
<xs:schema attributeFormDefault="unqualified" elementFormDefault="qualified" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="Invoices">
    <xs:complexType>
      <xs:sequence>
        <xs:element maxOccurs="unbounded" name="Invoice">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="Number" type="xs:string" />
              <xs:element name="DocumentType" type="xs:string" />
              <xs:element minOccurs="0" name="Salesperson" type="xs:string" />
              <xs:element minOccurs="0" name="ExternalReference" type="xs:string" />
              <xs:element minOccurs="0" name="YourReference" type="xs:string" />
              <xs:element minOccurs="0" name="PaymentMethod" type="xs:string" />
              <xs:element minOccurs="0" name="PaymentTerms" type="xs:string" />
              <xs:element minOccurs="0" name="ShipmentMethod" type="xs:string" />
              <xs:element minOccurs="0" name="TrackingNumbers" type="xs:string" />
              <xs:element minOccurs="0" name="OrderNumber" type="xs:string" />
              <xs:element minOccurs="0" name="InvoiceDate" type="xs:date" />
              <xs:element minOccurs="0" name="DueDate" type="xs:date" />
              <xs:element minOccurs="0" name="Vendor">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element name="Name" type="xs:string" />
                    <xs:element name="Address" type="xs:string" />
                    <xs:element name="PostCode" type="xs:string" />
                    <xs:element name="City" type="xs:string" />
                    <xs:element name="Country" type="xs:string" />
                    <xs:element minOccurs="0" name="PhoneNumber" type="xs:string" />
                    <xs:element minOccurs="0" name="FaxNumber" />
                    <xs:element minOccurs="0" name="Email" type="xs:string" />
                    <xs:element minOccurs="0" name="BankName" type="xs:string" />
                    <xs:element minOccurs="0" name="BankAccountNumber" type="xs:string" />
                    <xs:element minOccurs="0" name="IBAN" type="xs:string" />
                    <xs:element minOccurs="0" name="SWIFT" type="xs:string" />
                    <xs:element minOccurs="0" name="VATRegistrationNumber" type="xs:string" />
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="Customer">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="Number" type="xs:string" />
        <xs:element name="Name" type="xs:string" />
        <xs:element minOccurs="0" name="AccountsPayable" type="xs:string" />
        <xs:element name="Address" type="xs:string" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

```
<xs:element name="PostCode" type="xs:string" />
<xs:element name="City" type="xs:string" />
<xs:element minOccurs="0" name="Country" type="xs:string" />
<xs:element minOccurs="0" name="VATRegistrationNumber" type="xs:string" />
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element maxOccurs="unbounded" name="Line">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Number" type="xs:string" />
      <xs:element name="Description" type="xs:string" />
      <xs:element minOccurs="0" name="PartNumber" type="xs:string" />
      <xs:element name="Quantity" type="xs:string" />
      <xs:element name="UnitPrice" type="xs:decimal" />
      <xs:element name="VATpct" type="xs:decimal" />
      <xs:element name="LineAmount" type="xs:decimal" />
      <xs:element minOccurs="0" name="SerialNumbers" type="xs:string" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="ShippingCosts">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Amount" type="xs:decimal" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Totals">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="AmountExVAT" type="xs:decimal" />
      <xs:element name="VAT" type="xs:decimal" />
      <xs:element name="AmountInclVAT" type="xs:decimal" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Disclaimer" type="xs:string" />
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
```

Example XML Invoices

```

<Invoices>
  <Invoice>
    <Number>VRKGxxxxxxx</Number>
    <DocumentType>Invoice</DocumentType>
    <Salesperson>Salespersoon naam</Salesperson>
    <ExternalReference>xxxxxxx</ExternalReference>
    <YourReference>xxxxxx</YourReference>
    <PaymentMethod>Bank</PaymentMethod>
    <PaymentTerms>Binnen x dagen na factuurdatum</PaymentTerms>
    <ShipmentMethod>Carriage Paid To</ShipmentMethod>
    <TrackingNumbers>JVGLxxxxxxxxxxxxxxxx</TrackingNumbers>
    <OrderNumber>VEORxxxxxxx</OrderNumber>
    <InvoiceDate>20180111</InvoiceDate>
    <DueDate>20180710</DueDate>
    <Vendor>
      <Name>Xeptor IT Distribution</Name>
      <Address>Dorus Rijkersweg 15</Address>
      <PostCode>2315 WC</PostCode>
      <City>Leiden</City>
      <Country>NL</Country>
      <PhoneNumber>+31 (0)71 8001460</PhoneNumber>
      <FaxNumber></FaxNumber>
      <Email>invoice@xeptor.com</Email>
      <BankName></BankName>
      <BankAccountNumber>NL87 INGB 0670 6354 05</BankAccountNumber>
      <IBAN>NL87 INGB 0670 6354 05</IBAN>
      <SWIFT>INGBNL2A</SWIFT>
      <VATRegistrationNumber>NL002411635B01</VATRegistrationNumber>
    </Vendor>
    <Customer>
      <Number>CustomerNumber</Number>
      <Name>CompanyName</Name>
      <AccountsPayable>t.a.v. Crediteuren administratie</AccountsPayable>
      <Address>Zijlweg 26</Address>
      <PostCode>2013 DH</PostCode>
      <City>HAARLEM</City>
      <Country>Netherlands</Country>
      <VATRegistrationNumber>NLxxxxxxxx</VATRegistrationNumber>
    </Customer>
    <Line>
      <Number>2132689N1</Number>
      <Description>Logitech toetsenbord: MK520 - Zwart, QWERTY (920-0</Description>
      <PartNumber>920-002601</PartNumber>
      <Quantity>1</Quantity>
      <UnitPrice>37.51</UnitPrice>
      <VATpct>0.00</VATpct>
      <LineAmount>37.51</LineAmount>
    </Line>
    <Line>
      <Number>2157244R4</Number>
      <Description>DELL docking station: EURO Advanced E-Port II with</Description>
      <PartNumber>452-11415</PartNumber>
      <Quantity>1</Quantity>
      <UnitPrice>22.50</UnitPrice>
      <VATpct>0.00</VATpct>
  </Invoice>
</Invoices>

```

```

    <LineAmount>22.50</LineAmount>
  </Line>
  <Line>
    <Number>2215181N1</Number>
    <Description>DELL monitor: Professional UltraSharp U2412M 24</Description>
    <PartNumber>210-AGYH</PartNumber>
    <Quantity>2</Quantity>
    <UnitPrice>168.94</UnitPrice>
    <VATpct>0.00</VATpct>
    <LineAmount>337.88</LineAmount>
    <SerialNumbers>BG82DJ2,D5Q0DJ2</SerialNumbers>
  </Line>
  <Line>
    <Number>2221040N1</Number>
    <Description>DELL monitor: 54.61 cm (21.5 ") LED, 1920 x 1</Description>
    <PartNumber>210-AJDQ</PartNumber>
    <Quantity>14</Quantity>
    <UnitPrice>120.00</UnitPrice>
    <VATpct>0.00</VATpct>
    <LineAmount>1680.00</LineAmount>
<SerialNumbers>1ZCX8J2,33CX8J2,43CX8J2,4K9X8J2,53CX8J2,5K9X8J2,9N5X8J2,C0DX8J2,CD5X8J2,DDD8J2,FYCX8J2,HBFX8J2,HYCX8J2,JDDX8J2</
SerialNumbers>
  </Line>
  <ShippingCosts>
    <Amount>4.00</Amount>
  </ShippingCosts>
  <Totals>
    <AmountExVAT>2081.89</AmountExVAT>
    <VAT>0.00</VAT>
    <AmountInclVAT>2081.89</AmountInclVAT>
  </Totals>
</Invoice>
<Invoice>
  <Number>VRKxxxxxxxx</Number>
  <DocumentType>Invoice</DocumentType>
  <Salesperson>SalesPerson</Salesperson>
  <ExternalReference>xxxxxxxx</ExternalReference>
  <YourReference>xxxxxxxx</YourReference>
  <PaymentMethod>Bank</PaymentMethod>
  <PaymentTerms>Binnen 180 dagen na factuurdatum</PaymentTerms>
  <ShipmentMethod>Carriage Paid To</ShipmentMethod>
  <TrackingNumbers>JVGLxxxxxxxxxxxxxxxx</TrackingNumbers>
  <OrderNumber>VEORxxxxxxxx</OrderNumber>
  <InvoiceDate>20180111</InvoiceDate>
  <DueDate>20180710</DueDate>
  <Vendor>
    <Name>Xeptor IT Distribution</Name>
    <Address>Dorus Rijkersweg 15</Address>
    <PostCode>2315 WC</PostCode>
    <City>Leiden</City>
    <Country>NL</Country>
    <PhoneNumber>+31 (0)71 8001460</PhoneNumber>
    <FaxNumber></FaxNumber>
    <Email>invoice@xeptor.com</Email>
    <BankName></BankName>

```

```
<BankAccountNumber>NL87 INGB 0670 6354 05</BankAccountNumber>
<IBAN>NL87 INGB 0670 6354 05</IBAN>
<SWIFT>INGBNL2A</SWIFT>
<VATRegistrationNumber>NL002411635B01</VATRegistrationNumber>
</Vendor>
<Customer>
  <Number>CustomerNumber</Number>
  <Name>CompanyName</Name>
  <AccountsPayable>t.a.v. Crediteuren administratie</AccountsPayable>
  <Address>Zijlweg 26</Address>
  <PostCode>2013 DH</PostCode>
  <City>HAARLEM</City>
  <Country>Netherlands</Country>
  <VATRegistrationNumber>NLxxxxxxxx</VATRegistrationNumber>
</Customer>
<Line>
  <Number>2113192R4</Number>
  <Description>Hewlett Packard Enterprise switch: ProCurve 2610-2</Description>
  <PartNumber>J9087A</PartNumber>
  <Quantity>1</Quantity>
  <UnitPrice>2.04</UnitPrice>
  <VATpct>0.00</VATpct>
  <LineAmount>2.04</LineAmount>
  <SerialNumbers>CN826ZR1EP</SerialNumbers>
</Line>
<ShippingCosts>
  <Amount>4.00</Amount>
</ShippingCosts>
<Totals>
  <AmountExVAT>6.04</AmountExVAT>
  <VAT>0.00</VAT>
  <AmountInclVAT>6.04</AmountInclVAT>
</Totals>
</Invoice>
<Disclaimer>Customer declares to agree with the terms and conditions of Xeptor B.V. , filed with the Dutch Chamber of Commerce under number
70449740</Disclaimer>
</Invoices>
```

SFTP:

On the SFTP root location two folders exist. 'Inbound' and 'outbound'

Inbound: XML request messages can be placed in this folder by the customer

Outbound: XML response messages for the customer. Like the Product feed, Order responses and Invoices will be placed in this folder.

For example:

To download the product feed the directory should be **sftp.flexitdistribution.com**

You will receive your SFTP credentials separately.

If you have any questions, please contact your personal account manager or reach us via our general phone number.